


SUMMARY OF THE STUDY REPORT #14E2087

| | | | |
|----------------------------|---|---|---|
| | Sponsor: LMI Address: 26 boulevard Royal L-2449 LUXEMBOURG | Investigator: DERMSCAN Address: 114 boulevard du 11 Novembre 1918 69100 VILLEURBANNE FRANCE | |
| Study Title | EVALUATION OF THE EFFECT OF A FOOD SUPPLEMENT ON LIBIDO - USE-TEST CONDUCTED IN MAURITIUS UNDER MEDICAL CONTROL – | | |
| Product | Reference: ACTIV FORTE batch 14G0503 DLUO 05/2017. | Forms: Capsule. | |
| Study dates | From September 30 to October 30, 2014. | | |
| Objectives | - To evaluate the efficacy of the studied product on the libido, - To evaluate its acceptability (cutaneous and general state). | | |
| Experimental plan | Open and intra-individual study. | | |
| Assessment criteria | - Efficacy: subjective evaluation (questionnaire IIEF), - Acceptability: collection of the reported intolerance sensations and Adverse Events. | Kinetics | D0, D28. |
| | | Methodology | Before / After. |
| | | Measurement zone | General state. |
| | | Dosage | 3 capsules per day (one in the morning, one at noon, one in the evening, preferably before or at the beginning of meals). |
| Studied population | Number of subjects analyzed: 20. | | |
| | Average age: 41±2 years (between 30 and 57). | | |
| | <u>Main inclusion criteria:</u> <ul style="list-style-type: none"> • Sex: male. • Age: between 30 and 60 years old. • Subject with a partner. • Subject and partner using a contraceptive method, recognized effective, throughout the duration of the study (condom type). • Subject committing to having at least 2 sexual intercourses a week during the study. | | |


**Results -
Conclusion**

Under these study conditions, product "ACTIV FORTE batch 14G0503 DLUO 05/2017":


- presented a slight efficacy on the libido characterized by:
 - a slight significant improvement in the erectile function (average score)



- a slight improvement, limit significant, in the orgasmic function (average score)




- a slight non-significant improvement in the sexual desire (average score)




Results -
Conclusion

- a slight significant improvement in the intercourse satisfaction (average score)



- a slight significant improvement in the overall satisfaction (average score)



- induced a relevant cutaneous sign (desquamation on hands) with possible imputability with the studied product for one subject (5% of the panel).
 - caused adverse events with possible or probable imputability with the studied product for nine subjects (45% of the panel) (mainly dizziness, headache, nausea ...).
- The frequency of these signs requires careful attention, in particular by reporting their possible occurrence on the instructions for use.**

Investigator:
Dr. Maria Moheeputh
Dermatologist

Date
02/12/14

Signature